

# FAVOURABILITY MAP FOR COBALT MINERALIZATION IN EUROPE

CBA (Cell Based Association) scoring by sum of frequency ratios

Guillaume Bertrand (1,2), Martiya Sadeghi (3),  
Eric Gloaguen (1,2), Bruno Tourlière (1), Håvard  
Gautneb (4), Tuomo Törmänen (5), Daniel de  
Oliveira (6)

1 – BRGM (Geological Survey of France),  
Orléans, France

2 – ISTO UMR7327 (Univ. of Orléans, CNRS,  
BRGM), Orléans, France

3 – SGU (Geological Survey of Sweden),  
Uppsala, Sweden


4 – NGU (Geological Survey of Norway),  
Trondheim, Norway

5 – GTK (Geological Survey of Finland),  
Rovaniemi, Finland

6 – LNEG (Geological Survey of  
Portugal), Alfragide, Portugal

Version 1.2 (September 2020)

This favourability map for cobalt mineralization in Europe is a result from the GeoERA FRAME project ([www.frame.lneg.pt](http://www.frame.lneg.pt)). GeoERA has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 731166.



## Legend

### Cobalt favourability

|           |
|-----------|
| Very low  |
| Low       |
| Medium    |
| High      |
| Very high |

Cell size of 10 km x 10 km. CBA scoring by sum of frequency ratios, i.e. frequency of a given lithology in all standards neighbourhood (buffers of 100 sq km) vs. frequency of the same lithology in all cells of the grid. Equal intervals classification. Data sources are:

- the FRAME project database on deposits of energy critical elements;
- the 1/1 500 000 geological synthesis of Europe (Billa et al., 2008); lithologies of Tertiary and Quaternary ages have been excluded.