

## GENERAL INFORMATION

<b>Parameter name</b>	<b>Net aquifer thickness</b>
<b>Name of the layer in EGDI Map Viewer</b>	Net thickness of the Quaternary aquifer, Girona
<b>Original name of the layer uploaded to EGDI database</b>	PP03_ICGC_aquifer_thickness_qt
<b>Category</b>	<a href="#">Resources for open-loop systems</a>
<b>Definition</b>	<a href="#">Water saturated thickness of a groundwater body</a>
<b>Harmonized unit</b>	meters
<b>Relevance for shallow geothermal energy</b>	Thickness of <a href="#">groundwater bodies</a> relevant for <a href="#">shallow geothermal energy installations</a>
<b>Data type</b>	Continuous data layer
<b>Data format</b>	raster
<b>Projection</b>	EPSG: 3034
<b>Dataset selected for pilot area</b>	Cardiff, Cork, Aarhus, Zaragoza, Girona

## ATTRIBUTES

<b>Unit</b>	m
-------------	---

## DATA SOURCE

<b>Pilot area</b>	Urban area of Girona city (Catalonia, NE Spain)
<b>Data source</b>	3D geothermal model of Girona-Salt urban area (ICGC, 2020) <a href="https://www.icgc.cat/es/Innovacion/Proyectos-I-D-i/MUSE-GeoERA">https://www.icgc.cat/es/Innovacion/Proyectos-I-D-i/MUSE-GeoERA</a>
<b>Contact data owner</b>	geotermia@icgc.cat
<b>Last Update</b>	January 2021

### Explanatory text English

Raster dataset which represents the total thickness of the Quaternary aquifer within the pilot area (unsaturated and saturated zone). Quaternary sediments form the upper part of the Selva sedimentary basin and consist of unconsolidated river terraces and alluvial deposits and on volcanic rocks. This layer comes from the 3D geological model developed by the ICGC in the framework of the MUSE project. It is based on the available ICGC geological maps at different working scales (1: 5.000 to 1: 25.000) and lithological columns extracted from geotechnical drills and wells.

### Explanatory text national language

Language	Catalan
----------	---------

Capa en format raster que representa el gruix total de l'aqüífer quaternari dins la zona pilot (zona no saturada i zona saturada). Els sediments quaternaris de la part més superficial de la conca de la Selva es corresponen a terrasses fluvials i dipòsits al·luvials no consolidats i a roques volcàniques.

Aquesta capa d'informació prové del model geològic en 3D elaborat per l'ICGC en el marc del projecte MUSE. Està basada en les cartografies geològiques disponibles de l'ICGC a diferents escales de treball (1:5.000 a 1:25.000) i columnes litològiques extretes de sondeigs geotècnics i pous d'aigua.